

Tamper Indicating Materials

BradyID.com



Tamper Indicating Materials

High quality labels to protect against counterfeiting, diversion and tampering.

Brady offers an assortment of standard and custom engineered tamper indicating labels to meet your particular product protection needs. These tamper seals and tamper indicating labels provide irreversible, visible evidence of tampering to protect against warranty fraud, product tampering, alteration, and misuse or asset theft. Tamper indicating labels can protect your product's unique model and serial number, and help reduce the chance of liability issues due to unauthorized service or misuse.

Printer Compatibility

All tamper indicating parts shown on the following pages are compatible with the following printers unless otherwise noted.



Bradyprinter™ PR Plus Printers

See Page 130



Brady IP™ Printer

See Page 128



BBP®12 Label Printer

3" Core Label Rolls are compatible when used with Media Holder accessory.



Understanding THT Label Part Numbers

Example:

THT-5-423-10

Technology:
Thermal Transfer

Die Cut:
#5, 1.000" x 0.500"

Material Number:
B-423, Gloss White Polyester

Quantity:
Multiply by 1,000
10 x 1,000 = 10,000

THT Label Materials

Tamper Indicating

B-351 Destructible Vinyl Material

Color: White Finish: Matte

White vinyl material with matte finish and permanent adhesive. Tamper evident material fractures to show signs of product tampering and prevent one-piece label removal. Use caution when removing from liner as material is fragile. Ideal for rating and serial plates.




Figure 1

Figure 2



Before

After

Performance Attributes:

Diagram	Catalog #	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Horiz. Repeat C Inch (mm)	Vert. Repeat D Inch (mm)	Web Width E Inch (mm)	Labels Per Row	Labels Per Pkg	Rec. Ribbon
Fig. 1	THT-12-351-10	Vinyl	White	0.500 (12.7)	0.437 (11.1)	0.662 (16.8)	0.537 (13.6)	3.350 (85.1)	5	10,000	R6207
Fig. 1	THT-14-351-10	Vinyl	White	0.650 (16.5)	0.200 (5.1)	0.700 (17.8)	0.300 (7.6)	2.950 (74.9)	4	10,000	R6202
Fig. 1	THT-1-351-10	Vinyl	White	0.750 (19.1)	0.250 (6.4)	0.800 (20.3)	0.350 (8.9)	3.350 (85.1)	4	10,000	R6207
Fig. 1	THT-5-351-10	Vinyl	White	1.000 (25.4)	0.500 (12.7)	1.075 (27.3)	0.600 (15.2)	3.350 (85.1)	3	10,000	R6207
Fig. 2	THT-59-351-10	Vinyl	White	1.000 (25.4)	0.500 (12.7)	-	0.600 (15.2)	1.200 (30.5)	1	10,000	R6206
Fig. 1	THT-37-351-10	Vinyl	White	1.500 (38.1)	0.500 (12.7)	1.650 (41.9)	0.600 (15.2)	3.350 (85.1)	2	10,000	R6207
Fig. 1	THT-4-351-10	Vinyl	White	1.500 (38.1)	0.250 (6.4)	1.650 (41.9)	0.350 (8.9)	3.350 (85.1)	2	10,000	R6207
Fig. 1	THT-6-351-10	Vinyl	White	1.500 (38.1)	0.750 (19.1)	1.650 (41.9)	0.875 (22.2)	3.350 (85.1)	2	10,000	R6207
Fig. 2	THT-15-351-2.5	Vinyl	White	2.000 (50.8)	0.250 (6.4)	-	0.375 (9.5)	2.200 (55.9)	1	2,500	R6200
Fig. 2	THT-17-351-3	Vinyl	White	2.000 (50.8)	1.000 (25.4)	-	1.125 (28.6)	2.200 (55.9)	1	3,000	R6200
Fig. 2	THT-53-351-3	Vinyl	White	2.000 (50.8)	0.500 (12.7)	-	0.600 (15.2)	2.200 (55.9)	1	3,000	R6200
Fig. 2	THT-18-351-3	Vinyl	White	3.000 (76.2)	1.000 (25.4)	-	1.125 (28.6)	3.200 (81.3)	1	3,000	R6202
Fig. 2	THT-19-351-1	Vinyl	White	3.000 (76.2)	2.000 (50.8)	-	2.125 (54.0)	3.200 (81.3)	1	1,000	R6202