



NO OF CONDUCTORS (6)	GAUGE	26 (7 X 34)
	MATERIAL	TINNED COPPER
PRIMARY INSULATION	O.D.	0.039
	MATERIAL	POLYPROPYLENE
SHIELD 100%	WALL THICKNESS	0.010
	O.D.	0.136 REF
	MATERIAL	#36 AWG TINNED COPPER SPIRAL SHIELD OVER FOIL 85%
OUTER JACKET	TYPE	ALUMINUM POLYESTER
	O.D.	0.200 (0.210 MAX.)
	MATERIAL	PVC 80°C
	WALL THICKNESS	0.032

PART NUMBER	PART REV.	COLOR
828T1200A	A	BLACK

NOTES:

- MAY HAVE FILLERS TO INSURE ROUND CABLE, MAY HAVE TISSUE PAPER WRAP OVER SHIELD.



- CONDUCTOR COLORS: BLACK, RED, WHITE, GREEN, BROWN, BLUE

COPY

CAD/CAM DWG. NO. 828T120

SHEET 1 OF 1

SUPPLIER: C & M OR ENG. APPROVED EQUIVALENT.

<p>★ STAR SYMBOL DENOTES CRITICAL DIMENSION. SEE S/C ENGINEERING STANDARD ES-0001</p>				<p>THIS DRAWING DESCRIBES A DESIGN CONSIDERED PROPRIETARY IN NATURE, DEVELOPED AND MANUFACTURED BY SWITCHCRAFT INC. AND IS RELEASED ON A CONFIDENTIAL BASIS FOR IDENTIFICATION PURPOSE ONLY.</p>				
<p>UNLESS OTHERWISE SPECIFIED</p>				SIZE	WIDTH	MULT	LBS./FM	TEMPER
<p>1. ALL DIMENSIONS IN INCHES 2. DECIMAL DIMENSIONS ±.005 3. ANGLES ±1/2° 4. ALL DIA'S CONCENTRIC WITHIN .005 T.I.R. 5. REMOVE ALL BURRS 6. MAKE NO DIMENSIONAL ALLOWANCES FOR APPLIED FINISHES. I.E., PLATING, PAINTING, ETC. 7. HOLES ON THE SAME CENTERLINE MUST BE ALIGNED WITHIN ±.002</p>				FINISH		MATERIAL		
<p>A RELEASE TO PROD. ECO 822478 8-14-98 MM EB</p>				SPEC. NO.		SPEC. NO.		
<p>ISSUE CHANGE NO. DATE BY APP'D</p>				FIRST USED ON		SCALE 1 = 1		
<p>REVISIONS</p>				DATE DRAWN	BY	CHK'D	APP'D	
<p>DO NOT SCALE DRAWING</p>				14-AUG-98	MM	MM 8-14-98	EB 8-27-98	
				NAME			PART NO.	
				COIL CORD 6 COND. SHIELDED			828T120	
							ISSUE A	