

1. CONDUCTOR:

- 1.1 Size and Material: 18 7/26 AWG tin-plated copper wire.
- 1.2 O.D.: .0475" nom.

2. INSULATION:

- 2.1 Extruded special ETFE (Tefzel® 750).
- 2.2 Print on the insulation: as per UL and CSA Standards.
- 2.3 O.D.: .0675" nom.
- 2.4 Color: as per order (replace X in the part number and the description by 0-9 color code).

3. PERFORMANCE:

- 3.1 Voltage rating: 600 VAC R.M.S.
- 3.2 Temperature rating: 200°C






4. REFERENCE:

- 4.1 UL subject 758 (AWM), Style 10086.
- 4.2 CSA standard C22.2 No.210.2-M90 (AWM), Class I Group A/B.

CUSTOMER APPROVAL

Sign: _____

Date: _____

Engineering Change Notice No.								 <p>This specification is the property of Harbour Industries Canada Limited and may not be used or copied without the express written permission of Harbour Industries Canada Limited.</p>		Done: 		 <p>1365, boul. Industriel, Farnham, Quebec, Canada, J2N 2X3 Phone: (450) 293-5304 Fax: (450) 293-2421 Web site: www.harbourind.com</p>					
										Date: September 18, 2002							
										Verified: 							
										Date: September 18, 2002		Description: XTL10Z187/26-X					
UNCONTROLLED DOCUMENT A later revision of this specification may exist.								 <p>A member of The Marmon Group of companies</p>		Size: A Scale: --- Page: 1 of 1		Code Ident. No: 57104		Specification No.: F00080-X		Rev. ---	