			DATE	REV	ECN	DESCRIPTION
PRODUCT	SPECIFICATION		7/6/2010	G	#13004	SPECIFICATION UPDATED
Parent Number:	F18096-					
Description	<u>18 7/.0152 TC AWM 3071/3231 SF-2 SEW-2</u>	DIAMETER: (	<u>).106</u>			
Description.	Braided Silicone	TOLERANCE ± : Q	).00 <u>3</u>			
					/ 6885	Ø /
<u>Stranding:</u>	7/.0152 TC LHL			<b>V</b>		MIN AVG WALL: 0.030
Style:	UL: AWM 3071/3231 or SF-2 CSA: SEW-2					MINAVO WALL: 0.020 MINIMUM WALL: 0.027
577701					1	WINTINIUW WALL: <u>0.021</u>
Insulation:	Braided Silicone					
Print Legend: 18 AWG (0.823mm2) E30071 (PLANT ID CODE) (UL) TYPE SF-2 OR AWM 3071/3231 200C 600V 156205 CSA SEW-2 200C 600V FT1						
Voltage:	<u>600V</u>					
<u>Temperature:</u>	2000					
Notes: 1. Diameter shown is OD under braid.						
1. The OD over the braid is approximately 0.116".						
This product complies with European Directive 2011/65/EU (RoHS 2)						
The information presented here is, to the best of our knowledge, true and accurate. Since conditions of use are beyond Southwire's control all product data presented is for informational purposes only and does not create a binding obligation or liability on Southwire or confer any rights on any customer. The sale of product(s) is conditioned upon acceptance of a purchase order						
subject to Southwire's standard terms and conditions contained therein, including without limitation Southwire's standard warranty. Southwire disclaims all liability in connection with the use of information contained herein or otherwise.						
	nerein or otherwise. roprietary intellectual property of Southwire Company, LLC. Any in	formation contained herein s	shall not be di	sclosed to	B	Southwire
any party without written consent of Southwire Company, LLC.				- SE		
<u>Customer Approval:</u>				(	Copperfield	
Customer Part	* Nbr(s):					11
Approved By:_	Date:					5 W. North Street men, IN 46506
Title:_	Company	v Name:				ne: 1-574-546-5115