

PRODUCT SPECIFICATION


DATE	REV	ECN	DESCRIPTION
1/19/2010	A		SPECIFICATION CREATED

Parent Number: **FMG002-**

Description: 1.0mm2 32/.20mm BC TW 2TBD ES-AU5T-1A348-AA Ford Global Spec FLY-B Class 2

DIAMETER: 0.079

TOLERANCE ±: 0.004



Stranding: 32/.20mm BC LHL

NOM WALL: 0.012

Style: Ford: ES-AU5T-1A348-AA 2TBD; GM: GMW15626 Fly-B; ISO 6722; Din 72551

MINIMUM WALL: 0.009

Insulation: PVC

Print Legend: NO PRINT

Voltage: Nominal system voltage of 60 V rms or less in automotive electrical harnesses.

Temperature: 100C

Notes:

This product complies with European Directive 2002/95/EC (RoHS)

The information presented here is, to the best of our knowledge, true and accurate. Since conditions of use are beyond Coleman Cable's control all product data presented is for informational purposes only and does not create a binding obligation or liability on Coleman Cable or confer any rights on any customer. The sale of product(s) is conditioned upon acceptance of a purchase order subject to Coleman Cable's standard terms and conditions contained therein, including without limitation Coleman Cable's standard warranty. Coleman cable disclaims all liability in connection with the use of information contained herein or otherwise.

This specification is proprietary intellectual property of Coleman Cable. Any information contained herein shall not be disclosed to any party without written consent of Coleman Cable.

Customer Approval:

Customer Part Nbr(s): _____

Approved By: _____

Date: _____

Title: _____

Company Name: _____

COLEMAN CABLE, INC

1530 Shields Drive
Waukegan, IL 60085

Phone: 1-800-323-9355
www.colemancable.com

