


APPLICATIONS:

- Field testing of Category 5e, 6, and 6A single connector modified permanent links for direct attach applications
- Reference OCC application note, MPLT- X Field Testing of Direct Attach Modified Permanent Links
- For maximum accuracy, direct attach modified permanent links shall be tested utilizing the OCC field plug test adapter of the same performance category as the link under test

"OPTICAL CABLE CORPORATION (OCC) RESERVES THE RIGHT TO REVISE ANY AND ALL DESIGN SPECIFICATIONS."

UNCONTROLLED COPY




SPECIFICATIONS:

- Field Plug Test Adapter modular jack shall meet all of the requirements for modular cord test head as specified in ANSI/TIA-568-C.2 Clause C.5
- 100% laboratory performance tested
- Modular Interface: 750 mating cycles
- 50u-inch gold plated contacts
- 1000 VDC dielectric withstand
- Cable type: CAT6A S/FTP 26AWG Stranded copper conductor
- Cord length: 2m
- Wiring configuration: T568B

FPTAC5EKS	Test Adapter, Field Plug, Cat5e, Yellow
FPTAC6KS	Test Adapter, Field Plug, Cat6, Blue
FPTAC6AKS	Test Adapter, Field Plug, Cat6A, White
OCC Part Number	Description

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. TOLERANCES: FRACTIONS ±1/32" ANGLES ±1/2° 3 PLACE DECIMALS ±.005" 2 PLACE DECIMALS ±.01"

THIS DRAWING AND THE DESIGN SHOWN ARE THE PROPERTY OF OPTICAL CABLE CORPORATION AND MAY NOT BE USED AS THE BASIS FOR MANUFACTURE OR SALE WITHOUT SPECIFIC WRITTEN PERMISSION OF OPTICAL CABLE CORPORATION.



33 Superior Way
Swannanoa, NC 28778
Phone: 828-298-2260
Fax: 828-298-2487
www.occfiber.com

THIRD ANGLE PROJECTION

CRITICAL DIMENSION CODE
 (F) = FUNCTION
 (M) = MATING
 (A) = AUDIT

MATERIAL	X
FINISH	X

DRAWN	J. Yanik	DATE	11/07/13
CHECKED	D. Stikeleather	DATE	11/07/13
ENGINEER	J. Yanik	DATE	11/07/13
APPROVED	J. Calloway	DATE	09/17/15
PREVIOUS DWG			
NEXT DWG			

DWG TITLE			Test Adapter, Field Plug, Direct Attach		
SIZE	DWG NO.	REV			
B	C111711	B			
FILENAME	SCALE:	SHEET			
C111711B.dft	NONE	1 OF 1			