

# PRODUCT SPECIFICATION

DATE	REV	ECN	DESCRIPTION
7/25/2008	A	20802	SPECIFICATION CREATED


**Parent Number:** F16268-

**Description:** 16 26/30 TC GPT Marine

**DIAMETER:** 0.103  
**TOLERANCE ±:** 0.003

**Stranding:** 16 26/30 TC LHL

**Style:** GPT Marine per SAE J1128/J378



**NOM WALL:** 0.023  
**MINIMUM WALL:** 0.016

**Insulation:** PVC

**Print Legend:** CF 16 AWG MARINE SAE J-378 AND J-1128 105C 60V DC

**Voltage:** Per SAE J 1128 this product is intended for use at a nominal system voltage of 60 Volts DC or less in surface vehicle electrical systems.

**Temperature:** 105C

**Notes:**

This product complies with European Directive 2011/65/EU (RoHS 2)  
The information presented here is, to the best of our knowledge, true and accurate. Since conditions of use are beyond Coleman Cable's control all product data presented is for informational purposes only and does not create a binding obligation or liability on Coleman Cable or confer any rights on any customer. The sale of product(s) is conditioned upon acceptance of a purchase order subject to Coleman Cable's standard terms and conditions contained therein, including without limitation Coleman Cable's standard warranty. Coleman cable disclaims all liability in connection with the use of information contained herein or otherwise.  
This specification is proprietary intellectual property of Coleman Cable. Any information contained herein shall not be disclosed to any party without written consent of Coleman Cable.

**Customer Approval:**

**Customer Part Nbr(s):**

**Approved By:** Rob Stephens **Date:** 3/9/2015

**Title:** SCM / Am Plano, TX **Company Name:** IEWCC

**Coleman Cable, Inc.**

1115 W. North Street  
Bremen, IN 46506

Phone: 1-574-546-5115  
www.colemancable.com

