

**1. CONDUCTOR:**


- 1.1 Size and Material: 16 19/29 AWG silver-plated copper wire.
- 1.2 O.D.: .053" nom.

**2. INSULATION:**

- 2.1 Extruded PEEK.
- 2.2 O.D.: .073" ± .002"
- 2.3 Color: natural (grayish tan).




**3. PERFORMANCE:**

- 3.1 Voltage rating: 600 VAC R.M.S.
- 3.2 Temperature rating: 200°C



**CUSTOMER APPROVAL**

Sign: \_\_\_\_\_  
 Date: \_\_\_\_\_

<p>Engineering Change Notice No.</p> <table border="1"> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </table>																																																													 <p>This specification is the property of Harbour Industries Canada Limited and may not be used or copied without the express written permission of Harbour Industries Canada Limited.</p>	<p>Done: <i>Pierre Garand</i></p> <p>Date: May 6, 2008</p> <p>Verified: <i>[Signature]</i></p> <p>Date: May 21, 2008</p>	 <p>1365, boul. Industriel, Farnham, Quebec, Canada, J2N 2X3                  Phone: (450) 293-5304 Fax: (450) 293-2421 Web site: www.harbourtd.com</p> <p>Description:  <b>HARTREX II - S1619/29-N</b></p>		
<p><b>UNCONTROLLED DOCUMENT</b>                  A later revision of this specification may exist.</p>	 <p>A member of The Marmon Group of companies</p>	<p>Size: <b>A</b>    Scale: ---    Page: 1 of 1</p>	<p>Code Ident. No:  <b>57104</b></p>	<p>Specification No.:  <b>F00463-N</b></p>	<p>Rev. ---</p>																																																												