




## Audio/Video

Hubbell iSTATION products provide a consistent and practical solution for delivering all types of connections. The Hubbell iSTATION system enables convergence by locating AV solutions where you need them, from the floor to the ceiling, or the wall to the furniture. The Hubbell iSTATION approach makes adding a connection effortless while maintaining a clean, uniform look.





# Audio/Video

- Extensive Voice/Data/Audio/Video Applications .....F3
- AV 110 Everywhere™ Digital AV Over UTP .....F4
- AV 110 Everywhere™ Analog AV Over UTP .....F6
- AV Modules .....F7
- Multi-Service Frames and Modules .....F8
- Frames, Modules and AV Wallboxes.....F9
- VGA Plug-n-Play, Modules and Cords .....F11
- Pro-Audio D-Style Connections .....F12
- Digital AV Keystone Connections.....F13
- Video Keystone Connections .....F14
- AV Keystone Connections .....F15
- Audio Keystone Connections.....F16





## On the Wall

Plates and Frames  
Refer to Sections B, C and F



## In the Wall

Flat Panel/White Board  
Enclosures  
Refer to Section U



## On the Furniture

Furniture Plates  
Refer to Section B



## In the Furniture

Table Top Boxes  
Refer to Section R



## On the Floor

Floor Boxes  
Refer to Section R



## In the Floor

Fire-Rated Poke-Throughs  
Refer to Section R



## On the Surface

Metallic and Non-metallic  
Raceway  
Refer to Section S



## On the Surface

Surface Mount Boxes  
Refer to Section B



## On the Rack

UDX Modular Panels  
Refer to Sections K and N



## In the Cabinet

UDX Modular Panels  
Refer to Section O



## In the Ceiling

Multimedia Enclosures  
Refer to Section N



Long Range  
HDMI, IR, USB,  
RS232 Extender



### Termination

Quick, reliable 110 punch down termination



### 4K UHD Extension

Supports high resolution displays up to 328 feet (100m) away from the source equipment



### Standard Opening

Decorator or Hubbell iSTATION snap-in

### Features



- Locating a display device up to 328 feet (100m) away is as simple as pulling one UTP cable to a drop
- Terminate with one Category 6A, 6 or 5e UTP or shielded, plenum or non-plenum cable
- Supplied as a kit with both Source and Display modules
- HDBaseT™ for HDMI AV

### Standards

- Listed UL 1863
- USB 1.1
- HDMI
- RoHS compliant



In-Wall AV  
Power Supply



### Rear 5V DC Leads

Powers AV components in the wall for a clean, professional appearance



### Integrated Power Supply

Switchable 5V DC 3A power supports multiple devices



### USB Charging Port

Charging convenience and device power; green LED power indicator

### Specifications




- Electrical ratings: 15A, 125V AC
- Input voltage: 125V AC, 60Hz
- Output voltage: 3A, 5V DC
- Circuit feed-through 20A, 125V

### Standards

- cULus listed to UL498 and UL1310
- USB 1.1, 2.0, 3.0

HDBaseT is a trademark of the HDBaseT Alliance.



**Specifications**

- Punch down 110 style termination
- Connectors: HDMI 19-pin, Type A, female connector, gold plated 2μ"
- IDC Contact: phosphor bronze with tin plating over nickel under plating
- Material: high impact thermoplastic

HDBaseT™ Module  
IMHDBT3OW

HDMI 110 UTP Extender  
ISFH110W

AV Power Source  
AVPS15W

USB Extenders  
IMU1101OW

HDMI Patch Cords  
HDPC03BK

**HDBaseT™ Frames and Modules**

HDMI, USB, RS232, IR extender, 5V DC, single 4-pair UTP cable installation, up to 328ft (100m)

Color	Decorator	3 Unit Module
Black	<b>ISFHDBT3BK</b>	<b>IMHDBT3BK</b>
Ivory	<b>ISFHDBT3EI</b>	<b>IMHDBT3EI</b>
Gray	<b>ISFHDBT3GY</b>	<b>IMHDBT3GY</b>
Office White	<b>ISFHDBT3OW</b>	<b>IMHDBT3OW</b>
White	<b>ISFHDBT3W</b>	<b>IMHDBT3W</b>

Note: Product consists of send and receive pair.

**HDMI 110 UTP Extenders**

(2) 4-pair UTP cable installation, 5V DC, up to 147ft (45m)

Color	Decorator	2 Unit Module
Black	<b>ISFH110BK</b>	<b>IMH110ST2BK</b>
Ivory	<b>ISFH110EI</b>	<b>IMH110ST2EI</b>
Gray	<b>ISFH110GY</b>	<b>IMH110ST2GY</b>
Office White	<b>ISFH110OW</b>	<b>IMH110ST2OW</b>
White	<b>ISFH110W</b>	<b>IMH110ST2W</b>

Note: Product consists of send and receive pair.

**Tamper-Resistant Receptacle with 5V DC Power Output**

Description	Color	Catalog No.
USB charger TR receptacle, (1) USB port 3A, 5V DC output, 15A, 125V AC decorator duplex	Black	<b>AVPS15BK</b>
	Ivory	<b>AVPS15I</b>
	Gray	<b>AVPS15GY</b>
	Office White	<b>AVPS15LA</b>
	White	<b>AVPS15W</b>

**USB 2.0 Full Speed 110 Extenders, 100ft**

Description	Color	1 Unit Module
4-pair UTP cable installation, no external power supply, up to 100ft (305m)	Black	<b>IMU1101BK</b>
	Ivory	<b>IMU1101EI</b>
	Gray	<b>IMU1101GY</b>
	Office White	<b>IMU1101OW</b>
	White	<b>IMU1101W</b>

Note: Product consists of send and receive pair.

**HDMI Non-Active Horizontal Patch Cords**

24AWG, black, non-plenum

Description	Catalog No.
3 foot	<b>HDPC03BK</b>
6 foot	<b>HDPC06BK</b>

**Infrared Emitter and Receiver Kit**

Catalog No. **AVIR**

HDBaseT is a trademark of the HDBaseT Alliance. See color chart on page V12. Modules and frames are featured on pages F9-F10.



RCA Component,  
L/R Audio  
IMCAR11015OW



RCA Composite,  
L/R Audio  
IMR1101OW



VGA and 3.5mm  
HD AV Extender  
IM15311015OW



Stereo Jack,  
3.5mm to 110 Termination  
SF35110BK



S-Video to  
110 Termination  
SFSV110BK

## RCA Component with Audio 110 Audio/Video Modules

Extend up to 100ft (30.5m) over (2) 4-pair UTP cables, 1.5 unit

Color	RCA Component Video, Left/Right Audio	RCA Component Video, 3.5mm Audio
Black	<b>IMCAR11015BK</b>	<b>IMC3511015BK</b>
Ivory	<b>IMCAR11015EI</b>	<b>IMC3511015EI</b>
Gray	<b>IMCAR11015GY</b>	<b>IMC3511015GY</b>
Office White	<b>IMCAR11015OW</b>	<b>IMC3511015OW</b>
White	<b>IMCAR11015W</b>	<b>IMC3511015W</b>

## RCA 110 Audio/Video Modules

Extend up to 100ft (30.5m) over (2) 4-pair UTP cables, 0.5 unit

Color	75' (23m) max. RCA Component Video, HD	100' (30.5m) max. RCA Composite Video, Left/Right Audio	RCA Left/Right Audio
Black	<b>IMCR1101BK</b>	<b>IMR1101BK</b>	<b>IMAR1101BK</b>
Ivory	<b>IMCR1101EI</b>	<b>IMR1101EI</b>	<b>IMAR1101EI</b>
Gray	<b>IMCR1101GY</b>	<b>IMR1101GY</b>	<b>IMAR1101GY</b>
Office White	<b>IMCR1101OW</b>	<b>IMR1101OW</b>	<b>IMAR1101OW</b>
White	<b>IMCR1101W</b>	<b>IMR1101W</b>	<b>IMAR1101W</b>

## VGA and 3.5mm HD AV Extender

Extend up to 75ft (23m) over single 4-pair UTP cable, 1.5 unit

Color	Catalog No.
Black	<b>IM15311015BK</b>
Ivory	<b>IM15311015EI</b>
Gray	<b>IM15311015GY</b>
Office White	<b>IM15311015OW</b>
White	<b>IM15311015W</b>

Note: Product consists of send and receive pair.

## S-Video Connection

Extend up to 75ft (23m) over single 4-pair UTP cable

Color	S-video to 110 Termination
Black	<b>SFSV110BK</b>

## 3.5mm to 110 Termination Stereo Jacks

Extend up to 75ft (23m) over single 4-pair UTP cable

Color	3.5mm to 110 Termination
Black	<b>SF35110BK</b>

## RCA Connectors, 110 Punch-Down

Extend up to 75ft (23m) over single 4-pair UTP cable;  
housing color is black

Insulator Color	Catalog No.
Blue	<b>SFRC110B</b>
Green	<b>SFRC110GN</b>
Red	<b>SFRC110R</b>
White	<b>SFRC110W</b>
Yellow	<b>SFRC110Y</b>

See color chart on page V12.



RCA Component,  
L/R Audio or RGBHV  
IMCRS15OW



RCA Composite,  
3.5mm Audio  
IMRSJ1OW



Gold Pass-Through  
RCA Component Video  
IMCRF1OW



Gold Pass-Through  
Speaker Post  
IMSP1OW

AUDIO/VIDEO

### Solder Audio/Video Modules

	1.5 Unit	1 Unit		
Color	RCA Component Video with Left/Right Audio or RGBHV	RCA Component Video	RCA Composite Video with Left/Right Audio	RCA Composite Video, 3.5mm Stereo Audio Jack
Black	<b>IMCRS15BK</b>	<b>IMCRS1BK</b>	<b>IM3RS1BK</b>	<b>IMRSJ1BK</b>
Ivory	<b>IMCRS15EI</b>	<b>IMCRS1EI</b>	<b>IM3RS1EI</b>	<b>IMRSJ1EI</b>
Gray	<b>IMCRS15GY</b>	<b>IMCRS1GY</b>	<b>IM3RS1GY</b>	<b>IMRSJ1GY</b>
Office White	<b>IMCRS15OW</b>	<b>IMCRS1OW</b>	<b>IM3RS1OW</b>	<b>IMRSJ1OW</b>
White	<b>IMCRS15W</b>	<b>IMCRS1W</b>	<b>IM3RS1W</b>	<b>IMRSJ1W</b>

### Gold Pass-Through Audio/Video Modules

	Female to female coupler, 1 unit	Speaker post		
Color	RCA Component Video	RCA Composite Video with Left/Right Audio	RCA Left/Right Audio with 3.5mm Stereo Audio Jack	Black and Red, Screw Termination
Black	<b>IMCRF1BK</b>	<b>IM3RF1BK</b>	<b>IM35AR1BK</b>	<b>IMSP1BK</b>
Ivory	<b>IMCRF1EI</b>	<b>IM3RF1EI</b>	<b>IM35AR1EI</b>	<b>IMSP1EI</b>
Gray	<b>IMCRF1GY</b>	<b>IM3RF1GY</b>	<b>IM35AR1GY</b>	<b>IMSP1GY</b>
Office White	<b>IMCRF1OW</b>	<b>IM3RF1OW</b>	<b>IM35AR1OW</b>	<b>IMSP1OW</b>
White	<b>IMCRF1W</b>	<b>IM3RF1W</b>	<b>IM35AR1W</b>	<b>IMSP1W</b>

### Speaker Banana Plugs

Screw termination, gold, 10-pack	
Color	Catalog No.
Black	<b>SPPBK10</b>
Red	<b>SPPR10</b>


See color chart on page V12. Modules and frames are featured on pages F9–F10.



## Hubbell iSTATION Multi-Service Frame



Hubbell iSTATION Frames accept three units of module combinations in a single-gang opening.



### Specifications



- Decorator versions: UL Rated for power
- One to four gang
- Compatible with all Hubbell iSTATION modules and keystone connections
- Supplied with paper labels, clear covers and color-matched screw covers

## Gangable AV Wallbox



### Gangable

Design allows for an infinite number of options



### Multi-Service

Ideal for delivering power, data and AV in the same box

### Specifications



- 2- and 3-gang options
- Knockouts from 1/2 inch up to 2 inch
- NEMA spaced device mounting accepts industry standard wallplates
- Raised ground provisions in each gang
- 4 inches deep to accept practically any device



### Capacity

4-inch depth accommodates large cables and bend radii





Modular Face Plate  
IMF1OW



Raceway Bezel  
KPIMBZOW



Third-Party Raceway Module  
HWM2KGY10



Gangable AV Wallbox  
HBL986

AUDIO/VIDEO

## Hubbell iSTATION Modular Face Plate Frames

Single-service, low voltage

Color	1-Gang	2-Gang	3-Gang	4-Gang
Black	<b>IMF1BK</b>	<b>IMF2BK</b>	<b>IMF3BK</b>	<b>IMF4BK</b>
Ivory	<b>IMF1EI</b>	<b>IMF2EI</b>	<b>IMF3EI</b>	<b>IMF4EI</b>
Gray	<b>IMF1GY</b>	<b>IMF2GY</b>	<b>IMF3GY</b>	<b>IMF4GY</b>
Office White	<b>IMF1OW</b>	<b>IMF2OW</b>	<b>IMF3OW</b>	<b>IMF4OW</b>
White	<b>IMF1W</b>	<b>IMF2W</b>	<b>IMF3W</b>	<b>IMF4W</b>

Multi-service, power and low voltage

Color	1-Gang Decorator 1-Gang iSTATION	1-Gang Decorator 2-Gang iSTATION	1-Gang Decorator 3-Gang iSTATION	2-Gang Decorator 2-Gang iSTATION
Black	<b>IMFP1D1BK</b>	<b>IMFP1D2BK</b>	<b>IMFP1D3BK</b>	<b>IMFP2D2BK</b>
Ivory	<b>IMFP1D1EI</b>	<b>IMFP1D2EI</b>	<b>IMFP1D3EI</b>	<b>IMFP2D2EI</b>
Gray	<b>IMFP1D1GY</b>	<b>IMFP1D2GY</b>	<b>IMFP1D3GY</b>	<b>IMFP2D2GY</b>
Office White	<b>IMFP1D1OW</b>	<b>IMFP1D2OW</b>	<b>IMFP1D3OW</b>	<b>IMFP2D2OW</b>
White	<b>IMFP1D1W</b>	<b>IMFP1D2W</b>	<b>IMFP1D3W</b>	<b>IMFP2D2W</b>

## Hubbell iSTATION Stainless Steel Plates

1-Gang	2-Gang	3-Gang	4-Gang
<b>IMSS1</b>	<b>IMSS2</b>	<b>IMSS3</b>	<b>IMSS4</b>

## Delivery Bezels and Modules

Color	Raceway Bezel	Hubbell iSTATION Bezel for Third-Party Raceway	Furniture Boxes
Black	-	-	<b>HBLIMFBK</b>
Ivory	-	-	<b>HBLIMFI</b>
Gray	<b>KPIMBZGY</b>	<b>HWAPLGY</b>	<b>HBLIMFGY</b>
Office White	<b>KPIMBZOW</b>	<b>HWAPLOW</b>	-
White	-	<b>HWAPLW</b>	<b>HBLIMFWA</b>

## Third-Party Raceway Modules

Unloaded, 2-port, 10-pack

Color	Catalog No.
Black	<b>HWM2KBK10</b>
Ivory*	<b>HWM2KI10</b>
Gray	<b>HWM2KGY10</b>
White	<b>HWM2KW10</b>

\*Equivalent to Hubbell Office White

## Two and Three Gangable AV Wallboxes

Box	Dimensions	Top Knockouts	Bottom Knockouts	Back Knockouts	Catalog No.
2-Gang, 2" KO, 54in <sup>3</sup> capacity	H: 4.21" W: 4.06" D: 4.0"	(2) 1/2" (2) 1/2" - 3/4" TKO*	(1) 1", 1 1/4", 1 1/2" and 2"	(2) 1/2" - 3/4" TKO	<b>HBL985</b>
3-Gang, 2" KO, 79in <sup>3</sup> capacity	H: 4.21" W: 5.87" D: 4.0"	(3) 1/2" (3) 1/2" - 3/4" TKO*	(1) 1/2" (1) 1/2" - 3/4" TKO* (1) 1", 1 1/4", 1 1/2" and 2"	(3) 1/2" - 3/4" TKO	<b>HBL986</b>

\*TKO (Tangential Knockout)

## Low Voltage AV Wallbox Partitions

Compatible With	Description	Quantity	Catalog No.
HBL985 and HBL986	Solid divider	1	<b>HBL989</b>
	With pass-thru capability	1	<b>HBL989AVD</b>



Angled Module  
IMBDSA15OW



Blank Frame  
ISFB215EI



Keystone Module  
IM2K1OW



SC Angled Module  
IM2SCA2OW

## Blank HD15/9-Pin or HDMI Modules

	1 Unit	1.5 Unit		2 Unit
Color	HD15/9-Pin or HDMI	Angled, HD15/9-Pin or HDMI	HD15/9-Pin or HDMI with 3.5mm Stereo Jack*	HD15/9-Pin or HDMI with 3.5mm SJ+AV Conn
Black	<b>IMBDS1BK</b>	<b>IMBDSA15BK</b>	<b>IMB15315BK</b>	<b>IMB153X2BK</b>
Ivory	<b>IMBDS1EI</b>	<b>IMBDSA15EI</b>	<b>IMB15315EI</b>	<b>IMB153X2EI</b>
Gray	<b>IMBDS1GY</b>	<b>IMBDSA15GY</b>	<b>IMB15315GY</b>	<b>IMB153X2GY</b>
Office White	<b>IMBDS1OW</b>	<b>IMBDSA15OW</b>	<b>IMB15315OW</b>	<b>IMB153X2OW</b>
White	<b>IMBDS1W</b>	<b>IMBDSA15W</b>	<b>IMB15315W</b>	<b>IMB153X2W</b>

\*Screw termination or solder

## Blank HD15/9-Pin or HDMI Frames

Color	1-Port	Recessed, 1-Port	2-Port
Black	<b>ISFB15BK</b>	<b>ISFBR15BK</b>	<b>ISFB215BK</b>
Ivory	<b>ISFB15EI</b>	<b>ISFBR15EI</b>	<b>ISFB215EI</b>
Gray	<b>ISFB15GY</b>	<b>ISFBR15GY</b>	<b>ISFB215GY</b>
Office White	<b>ISFB15OW</b>	<b>ISFBR15OW</b>	<b>ISFB215OW</b>
White	<b>ISFB15W</b>	<b>ISFBR15W</b>	<b>ISFB215W</b>

## Keystone Modules, Unloaded

Color	1 Unit		1.5 Unit		2 Unit	
	Flat, 1-Port	Flat, 2-Port	Angled, 1-Port	Angled, 2-Port	Recessed, Angled, 1-Port	Recessed, Angled, 2-Port
Black	<b>IM1K1BK</b>	<b>IM2K1BK</b>	<b>IM1KA15BK</b>	<b>IM2KA15BK</b>	<b>IM1IA15BK</b>	<b>IM2IA15BK</b>
Ivory	<b>IM1K1EI</b>	<b>IM2K1EI</b>	<b>IM1KA15EI</b>	<b>IM2KA15EI</b>	<b>IM1IA15EI</b>	<b>IM2IA15EI</b>
Gray	<b>IM1K1GY</b>	<b>IM2K1GY</b>	<b>IM1KA15GY</b>	<b>IM2KA15GY</b>	<b>IM1IA15GY</b>	<b>IM2IA15GY</b>
Office White	<b>IM1K1OW</b>	<b>IM2K1OW</b>	<b>IM1KA15OW</b>	<b>IM2KA15OW</b>	<b>IM1IA15OW</b>	<b>IM2IA15OW</b>
White	<b>IM1K1W</b>	<b>IM2K1W</b>	<b>IM1KA15W</b>	<b>IM2KA15W</b>	<b>IM1IA15W</b>	<b>IM2IA15W</b>

## Blank Modules

Color	0.5 Unit	1 Unit	1.5 Unit
Black	<b>IMB05BK</b>	<b>IMB1BK</b>	<b>IMB15BK</b>
Ivory	<b>IMB05EI</b>	<b>IMB1EI</b>	<b>IMB15EI</b>
Gray	<b>IMB05GY</b>	<b>IMB1GY</b>	<b>IMB15GY</b>
Office White	<b>IMB05OW</b>	<b>IMB1OW</b>	<b>IMB15OW</b>
White	<b>IMB05W</b>	<b>IMB1W</b>	<b>IMB15W</b>

## SC Angled Modules

Color	1.5 Unit, 1 Duplex	2 Unit, 2 Duplex
Black	<b>IM1SCA15BK</b>	<b>IM2SCA2BK</b>
Ivory	<b>IM1SCA15EI</b>	<b>IM2SCA2EI</b>
Gray	<b>IM1SCA15GY</b>	<b>IM2SCA2GY</b>
Office White	<b>IM1SCA15OW</b>	<b>IM2SCA2OW</b>
White	<b>IM1SCA15W</b>	<b>IM2SCA2W</b>

Light Almond is the same color as Office White. See color chart on page V12.



### Specifications

- 5 mini coax, 28AWG, 75Ω
- Connector OD: 0.50"
- Cable OD: 0.32"
- 100% factory tested

### Standards

- UL Rated CMP and CMR
- Patch cord cable: UL Rated CM
- UL Listed: 1863



45° Connection  
15A6P1



8-Pin Cable Run  
VGA36P05BK



Keystone Snap Fit  
SFAVCT



15-Pin VGA Patching Run  
AV15M05



OPTISOK®  
CCPS1

### VGA Plug-n-Play X-End Connections

Female X-End 8-pin to female 15-pin		
Description	Single Pack	10-pack
Straight 180°	<b>15S6P1</b>	<b>15S6P10</b>
Angled 45°	<b>15A6P1</b>	<b>15A6P10</b>
Angled 90°	<b>15N6P1</b>	<b>15N6P10</b>
8" tail	<b>15T6P1</b>	<b>15T6P10</b>
Female X-End 8-pin to male 15-pin		
8" tail plenum	<b>15MP6P1</b>	<b>15MP6P10</b>

### AV Plug-n-Play X-End Horizontal Cable Runs

Male X-End 8-pin, black	
Description	Catalog No.
Non-plenum, 8-pin	<b>VGA6yyBK</b>
Plenum, 8-pin	<b>VGA6PyyBK</b>
Male X-End 8-pin to male 3.5mm, black	
Non-plenum, 8-pin, with 3.5mm	<b>VGA36yyBK</b>
Plenum, 8-pin, with 3.5mm	<b>VGA36PyyBK</b>

**yy** = Length: **15** (15'), **25** (25'), **35** (35'), **50** (50'), **75** (75'), and **100** (100'). Contact Hubbell customer service for custom lengths; minimum quantities and lead times may apply.

### OPTISOK®

OPTISOK pulling grip contains and protects the X-End connector bundle and saves time and labor by making job easier while protecting the connectors from possible damage during the pull. The OPTISOK has been designed to pull cables through conduits, plenums, under-floor duct, office partitions and raised access floors.

Bundle Size Range	Catalog No.
0.125–0.562"	<b>CCPS1</b>
0.250–0.750"	<b>CCPS2</b>

### X-End Keystone Snap Fit Connectors

Female keystone 8-pin to female X-End 8-pin, black	
Description	Catalog No.
Keystone, 4" tail	<b>SFAVCT</b>

### X-End AV Plug-n-Play Application Patching Runs

Male connector tail to male X-End 8-pin	
Description	Catalog No.
15-Pin VGA	<b>AV15Myy</b>
15-pin VGA with 3.5mm audio	<b>AV1535yy</b>

**yy** = Length: **05** (5'), **10** (10').



## Specifications

- Connectors: gold-plated 2μ"
- Shell: XLR, 1/4", 1394 and USB zinc die-cast
- Shell : speakON® polyamide




Screw Term Connection  
XLRST10



Mini XLR Loaded Module  
IMXLRM1W



15-Pin, 3.5mm Stereo,  
XLR Module  
IM153X2OW



Blank Module  
IMAVB15OW

## Pro-Audio Connections

10-pack

Screw Term	Solder	Pass-Thru	Solder	Solder
XLR, 3-Pole Locking	XLR 3-Pole Locking	USB, A-to-B	1/4" Locking	speakON® Female
<b>XLRST10</b>	<b>XLR10</b>	<b>USB10</b>	<b>14S10</b>	<b>SC10</b>

## Loaded Pro-AV Modules

Color	Mini XLR, 3-Pole, Solder, 1 Unit	15-Pin Screw Term, 3.5mm Stereo Jack Screw Term, XLR Screw Term, 2 Unit
Almond	<b>IMXLRM1AL</b>	-
Black	<b>IMXLRM1BK</b>	-
Ivory	<b>IMXLRM1EI</b>	-
Gray	<b>IMXLRM1GY</b>	-
Office White	<b>IMXLRM1OW</b>	<b>IM153X2OW</b>
White	<b>IMXLRM1W</b>	-

## Blank AV Panel Mount Modules

1.5 unit, 10-pack

Color	Catalog No.
Almond	<b>IMAVB15AL</b>
Black	<b>IMAVB15BK</b>
Ivory	<b>IMAVB15EI</b>
Gray	<b>IMAVB15GY</b>
Office White	<b>IMAVB15OW</b>
White	<b>IMAVB15W</b>

speakON is a registered trademark of Neutrik AG.  
See color chart on page V12.



Cat 5e Cross Over  
10/100BASE-T  
SF5ECOY



Cat 6 Shielded  
SF6C



USB 3.0 A to A  
SFUSBAA3BK



HDMI Keystone  
SFHC14BK



HDMI Decorator Frame  
NS802W

AUDIO/VIDEO

## RJ-45 Couplers

Female to female couplers

Housing Color	Category 6, Pass-Thru	Category 5e, Pass-Thru	Category 5e, Cross Over 10/100BASE-T	Category 6, Shielded Pass-Thru
Black	<b>SFC6BK</b>	<b>SFC5EBK</b>	–	Lead free tinned shield <b>SFSC6</b>
Gray	–	–	<b>SF5ECOY</b>	
White	<b>SFC6W</b>	<b>SFC5EW</b>	–	

## USB Connectors

Pass-thru, female to female couplers

Housing Color	USB 3.0, A to A	USB 3.0, A to B	USB 2.0, A to A	USB 2.0, A to B
Black	<b>SFUSBAA3BK</b>	<b>SFUSBAB3BK</b>	–	–
Blue	–	–	<b>SFUSBAAB</b>	<b>SFUSBABB</b>
Office White	–	–	<b>SFUSBAAOW</b>	<b>SFUSBABOW</b>
White	–	–	<b>SFUSBAAW</b>	<b>SFUSBABW</b>

## HDMI 1.4 Connectors for IMB and ISFB Series Blanks

Color	HDMI Keystone Feed-Thru	HDMI Feed-Thru Coupler	HDMI Feed-Thru 3-Inch Tail
Black	<b>SFHC14BK</b>	<b>HDMIC14</b>	<b>HDMIT14</b>
White	<b>SFHC14W</b>	–	–

## HDMI Decorator Frames

Color	1-Port	2-Port
Black	<b>NS801BK</b>	<b>NS802BK</b>
Ivory	<b>NS801I</b>	<b>NS802I</b>
Gray	<b>NS801GY</b>	<b>NS802GY</b>
Light Almond	<b>NS801LA</b>	<b>NS802LA</b>
White	<b>NS801W</b>	<b>NS802W</b>



HDMI Device Cords  
HDPC03BK



In-Wall Cords  
HDH10BK



Patch Cords  
HDL10BK



Coupler Cords  
HDC10BK

## HDMI Non-Active Horizontal Patch Cords

Black, non-plenum, 24AWG

HDMI Device Patch Cords		In-Wall Cords, (Male w/ Screw to Male w/ Screw)	Patch Cords, (Male to Male w/ Secure Screw)	Coupler Cords, (Male to Female)
3 foot	6 foot			
<b>HDPC03BK</b>	<b>HDPC06BK</b>	<b>HDHyyBK</b>	<b>HDLyyBK</b>	<b>HDCyyBK</b>

yy = Length: **10** (10'), **15** (15'), **20** (20'), **25** (25'), **30** (30').

Modules and frames are featured on pages F9–F10.



F-Connector  
SFFBX



Recessed F-Type Connector  
SFGRFEI



RCA to F-Connector  
SFRFGOW



Blank Connector  
SFB10



Screw Terminal  
SF15ST

## F-Type Connectors

Pass-thru, F/F coupler

Color	Nickel	Gold		Recessed	RCA to F-Connector
	2GHz	3GHz	2GHz		
Almond	<b>SFFALX</b>	<b>SFF3GAL</b>	<b>SFFGAL</b>	–	–
Black	<b>SFFBX</b>	<b>SFF3GBK</b>	<b>SFFGBK</b>	<b>SFGRFBK</b>	<b>SFRFGBK</b>
Ivory	<b>SFFEX</b>	<b>SFF3GEI</b>	<b>SFFGEI</b>	<b>SFGRFEI</b>	<b>SFRFGEI</b>
Gray	<b>SFFGX</b>	<b>SFF3GGY</b>	<b>SFFGGY</b>	<b>SFGRFGY</b>	<b>SFRFGGY</b>
Office White	<b>SFFX</b>	<b>SFF3GOW</b>	<b>SFFGOW</b>	<b>SFGRFOW</b>	<b>SFRFGOW</b>
White	<b>SFFWX</b>	<b>SFF3GW</b>	<b>SFFGW</b>	<b>SFGRFW</b>	<b>SFRFGW</b>

## F-Connector Plugs

25-pack

Termination Type	Cable Type	Catalog No.
Compression	RG6	<b>FRG625</b>
Crimp	RG6	<b>FRG6C25</b>

## Blank Connectors and Couplers

10-pack

Color	Blank Connector	Smooth Blank Connector
Almond	<b>SFBAL10</b>	<b>SFSBAL10</b>
Black	<b>SFB10</b>	<b>SFSBBK10</b>
Ivory	<b>SFBE10</b>	<b>SFSBE10</b>
Gray	<b>SFBG10</b>	<b>SFSBGY10</b>
Light Almond	–	<b>SFSBLA10</b>
Office White	<b>SFB10</b>	–
White	<b>SFBW10</b>	<b>SFSBW10</b>

## Screw Terminal

	HD 9-Pin	HD 15-Pin	HD 15-Pin, Keystone Front Mount
10-Pack	<b>9ST10</b>	<b>15ST10</b>	<b>SF15ST</b>

## Gender Changers

Female to female couplers

	15-Pin, 90°	HD 9-Pin	HD 15-Pin
Single Pack	<b>15901</b>	–	–
10-Pack	–	<b>9GC10</b>	<b>15GC10</b>

Light Almond is the same color as Office White. See color chart on page V12.



RCA Connector  
SFCROW



RCA Pass-Thru, Recessed  
SFCRRROW



RCA Pass-Thru, F/F Coupler  
SFCRFFOW

**RCA Connectors, Solder Termination**

Housing Color	Insulator Color						
	Black	Blue	Green	Orange	Red	White	Yellow
Almond	<b>SFRCBKAL</b>	<b>SFRCBAL</b>	<b>SFRCGNAL</b>	<b>SFCORAL</b>	<b>SFCRAL</b>	<b>SFCWAL</b>	<b>SFCYAL</b>
Black	<b>SFRCBKBK</b>	<b>SFRCBBK</b>	<b>SFRCGNBK</b>	<b>SFCORBK</b>	<b>SFCRBK</b>	<b>SFCWBK</b>	<b>SFCYBK</b>
Ivory	<b>SFRCBKEI</b>	<b>SFRCBEI</b>	<b>SFRCGNEI</b>	<b>SFCOREI</b>	<b>SFCREI</b>	<b>SFCWEI</b>	<b>SFCYEI</b>
Gray	<b>SFRCBKGY</b>	<b>SFRCBGY</b>	<b>SFRCNGY</b>	<b>SFCORGY</b>	<b>SFCRGY</b>	<b>SFCWGY</b>	<b>SFCYGY</b>
Office White	<b>SFRCBKOW</b>	<b>SFRCBOW</b>	<b>SFRCGNOW</b>	<b>SFCOROW</b>	<b>SFCROW</b>	<b>SFCWOW</b>	<b>SFCYOW</b>
White	<b>SFRCBKW</b>	<b>SFRCBW</b>	<b>SFRCGNW</b>	<b>SFCORW</b>	<b>SFCRW</b>	<b>SFCWW</b>	<b>SFCYW</b>

**RCA Connectors, Pass-Thru, Recessed**

Housing Color	Insulator Color						
	Black	Blue	Green	Orange	Red	White	Yellow
Almond	<b>SFRCBKRAL</b>	<b>SFRCBRAL</b>	<b>SFRCGNRAL</b>	<b>SFCORRAL</b>	<b>SFCRRAL</b>	<b>SFCWRAL</b>	<b>SFCYRAL</b>
Black	<b>SFRCBKRBK</b>	<b>SFRCBRBK</b>	<b>SFRCGNRBK</b>	<b>SFCORRBK</b>	<b>SFCRRBK</b>	<b>SFCWRBK</b>	<b>SFCYRBK</b>
Ivory	<b>SFRCBKREI</b>	<b>SFRCBREI</b>	<b>SFRCGNREI</b>	<b>SFCORREI</b>	<b>SFCRREI</b>	<b>SFCWREI</b>	<b>SFCYREI</b>
Gray	<b>SFRCBKRGY</b>	<b>SFRCBRGY</b>	<b>SFRCGNRGY</b>	<b>SFCORRGY</b>	<b>SFCRRGY</b>	<b>SFCWRGY</b>	<b>SFCYRGY</b>
Office White	<b>SFRCBKROW</b>	<b>SFRCBROW</b>	<b>SFRCGNROW</b>	<b>SFCORROW</b>	<b>SFCRRROW</b>	<b>SFCWROW</b>	<b>SFCYROW</b>
White	<b>SFRCBKRW</b>	<b>SFRCBRW</b>	<b>SFRCGNRW</b>	<b>SFCORRW</b>	<b>SFCRRW</b>	<b>SFCWRW</b>	<b>SFCYRW</b>

**RCA Connectors, Pass-Thru, Gold, Female to Female Coupler**

Housing Color	Insulator Color						
	Black	Blue	Green	Orange	Red	White	Yellow
Almond	<b>SFRCBKFFAL</b>	<b>SFRCBFFAL</b>	<b>SFRCGNFFAL</b>	<b>SFCORFFAL</b>	<b>SFCRFFAL</b>	<b>SFCWFFAL</b>	<b>SFCYFFAL</b>
Black	<b>SFRCBKFFBK</b>	<b>SFRCBFFBK</b>	<b>SFRCGNFFBK</b>	<b>SFCORFFBK</b>	<b>SFCRFFBK</b>	<b>SFCWFFBK</b>	<b>SFCYFFBK</b>
Electric Ivory	<b>SFRCBKFFEI</b>	<b>SFRCBFFEI</b>	<b>SFRCGNFFEI</b>	<b>SFCORFFEI</b>	<b>SFCRFFEI</b>	<b>SFCWFFEI</b>	<b>SFCYFFEI</b>
Gray	<b>SFRCBKFFGY</b>	<b>SFRCBFFGY</b>	<b>SFRCGNFFGY</b>	<b>SFCORFFGY</b>	<b>SFCRFFGY</b>	<b>SFCWFFGY</b>	<b>SFCYFFGY</b>
Office White	<b>SFRCBKFF</b>	<b>SFRCBFFOW</b>	<b>SFRCGNFFOW</b>	<b>SFCORFFOW</b>	<b>SFCRFF</b>	<b>SFCWFF</b>	<b>SFCYFF</b>
White	<b>SFRCBKFFW</b>	<b>SFRCBFFW</b>	<b>SFRCGNFFW</b>	<b>SFCORFFW</b>	<b>SFCRFFW</b>	<b>SFCWFFW</b>	<b>SFCYFFW</b>

Light Almond is the same color as Office White. See color chart on page V12.



3.5mm to Screw Term  
SF35STOW



3.5mm Pass-Thru, Gold  
SF35GFFOW



Speaker Post Connector  
SFSPGBKOW



Speaker Banana Plug  
SPPR10

## 3.5mm Stereo Jacks

	3.5mm to Solder	3.5mm to Screw Terminal	3.5mm Pass-Thru, F/F Coupler	3.5mm Pass-Thru, Gold, F/F Coupler
Almond	<b>SF35SJAL</b>	<b>SF35STAL</b>	<b>SF35FFAL</b>	<b>SF35GFFAL</b>
Black	<b>SF35SJBK</b>	<b>SF35STBK</b>	<b>SF35FFBK</b>	<b>SF35GFFBK</b>
Ivory	<b>SF35SJEI</b>	<b>SF35STEI</b>	<b>SF35FFEI</b>	<b>SF35GFFEI</b>
Gray	<b>SF35SJGY</b>	<b>SF35STGY</b>	<b>SF35FFGY</b>	<b>SF35GFFGY</b>
Office White	<b>SF35SJOW</b>	<b>SF35STOW</b>	<b>SF35FFOW</b>	<b>SF35GFFOW</b>
White	<b>SF35SJW</b>	<b>SF35STW</b>	<b>SF35FFW</b>	<b>SF35GFFW</b>

## 1/4" Stereo Jack

Solder	
Color	
Almond	<b>SF14SJAL</b>
Black	<b>SF14SJBK</b>
Ivory	<b>SF14SJEI</b>
Gray	<b>SF14SJGY</b>
Office White	<b>SF14SJOW</b>
White	<b>SF14SJW</b>

## Speaker Post Connectors

Screw termination, gold		
Color	Black	Red
Almond	<b>SFSPGBKAL</b>	<b>SFSPGRAL</b>
Black	<b>SFSPGBKBK</b>	<b>SFSPGRBK</b>
Ivory	<b>SFSPGBKKEI</b>	<b>SFSPGREI</b>
Gray	<b>SFSPGBKGY</b>	<b>SFSPGRGY</b>
Office White	<b>SFSPGBKOW</b>	<b>SFSPGROW</b>
White	<b>SFSPGBKW</b>	<b>SFSPGRW</b>

## Speaker Banana Plugs

Screw termination, gold, 10-pack	
Black	Red
<b>SPPBK10</b>	<b>SPPR10</b>

See color chart on page V12.