Date



## Specification Sheet

## Lake Cable Part #: SVT1612S(26)-PLT/X-ER

Description: 16 AWG 12 conductors 26 strands bare copper wire with PVC/Nylon insulation, shielded, and an overall

PVC jacket.

1. Conductor

1.1. AWG Size & Stranding: 16 AWG 26 Strands Class K1.2. Material: Annealed Bare Copper

1.3. Conductor Count: 12 Conductors

2. Insulation

2.1. Material: PVC/ Nylon

2.2. Wall Thickness: 0.016" PVC & 0.005" Nylon

2.3. Diameter:  $0.100" \pm 0.002"$ 

2.4. Color Code: Black #1, Brown #2, Red #3, Orange #4,

Yellow #5, Green #6, Blue #7, Purple #8, Gray #9, White #10, White/Black #11, White/Brown #12

(Alphanumeric Print)

3. Cable Assembly

3.1. Lay Length: 5.00" LHL, Nominal

3.2. Binder: Clear Mylar Tape - 100% Coverage 3.3. Drain Wire: 16 AWG 26 Strands Tinned Copper

3.4. Shield: Aluminum/Mylar Tape - 100% Coverage (Foil In)

4. Jacket

4.1. Material: Pressure Extruded PVC

4.2. Wall Thickness: 0.050"

4.3. Diameter: 0.521" ± 0.020"

4.4. Color: Black
4.5. Ripcord: N/A
4.6. Cold Bend Rating: -40°C
4.7. Weight: 208 lbs./Mft.

5. Markings

5.1. Type: Cable permanently identified via surface inkjet print

5.2. Legend: LAKE CABLE E208309 16AWG 12C SHIELDED (UL) TC-ER 90C DRY/WET 600V SUN

RES OIL RES I & II OR MTW OR PLTC 105C OR CSA LL226471 AWM I/II A/B 105C 600V FT4

"ROHS COMPLIANT" MADE IN USA C€

5.3. Footage Markers: N/A

## 6. Standards

- 6.1. Refer to NEC (NFPA 70) article 336 for installation guidelines
- 6.2. UL listed as Type TC-ER per UL Standard 1277, type MTW per UL Standard 1063, type PLTC per UL Standard 13
- 6.3. CSA recognized component AWM I/II A/B per CSA Standard C22.2 No. 210-15
- 6.4. Product is marked CE in accordance with EC Declaration of Conformity
- 6.5. Cable is suitable for use in Class I Division 2 hazardous locations
- 6.6. Operating Temperature: -40C to 105C
- 6.7. Operating Voltage: 600V RMS
- 6.8. Cable meets UL 1581 & 1202 (FT-4) 70,000 BTU/HR & ICEA T-29-520 210,000 BTU/HR requirements
- 6.9. Cable meets RoHS 2002/95/EC Directive, RoHS 2 2011/65/EU Directive, RoHS 3 2015/863/EU Directive
- 6.10. Cable is REACH compliant per Regulation (EC) No 1907/2006 (223) Updated January 17, 2022
- 6.11. Made in the USA
- 6.12. MARNING: This product may contain chemicals, such as Vinyl Chloride, known to the state of California to cause birth defects or other reproductive harm. For more information, go to <a href="https://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>. Wash hands after handling

ALL SPECIFIED PARAMETERS WITHOUT A TOLERANCE ARE NOMINAL AND SUBJECT TO VERIFICATION. LAKE CABLE IS NOT RESPONSIBLE FOR UNKNOWN PERFORMANCE ATTRIBUTES THAT WERE NOT MADE KNOWN TO LAKE CABLE AT THE TIME OF DESIGN.