


**NOTICE**  
 1. This drawing is the property of G.W. Lisk Co., Inc. and is loaned to you for your use only. It is not to be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of G.W. Lisk Co., Inc.

2 LEADWIRES P/N M22759/9-22-9, PRE-ETCHED  
 LEAD LAY PARALLEL



PURE TEFLON FILAMENT YARN.  
 TEFLON FILAMENT THREAD 1200 DENIER  
 SLACK Z TWIST APPROX (L) TURN PER INCH  
 NATURAL BROWN COLOR  
 MINIMUM TEMP RANGE -55° TO +475°F  
 AVAILABLE ONLY AS BRAIDED IN PLACE.

1 LEADWIRE TO BE SUPPLIED BY G.W. LISK CO., INC., IF REQUIRED.

2 BRAIDING TO BE DONE BY:  
 CO-OPERATIVE INDUSTRIES, INC (SPEC. C1312)  
 100 OAKDALE ROAD,  
 CHESTER, NEW JERSEY, 07930

OR  
 GLENATR, INC.  
 1211 AIRWAY  
 GLENDALE CALIFORNIA 91201-2497  
 OR  
 COLONIAL WIRE & CABLE  
 100 CRANFIELD ST.  
 LEONMINSTER, MA 01453

3. REFERENCE HAMILTON STANDSTAND DRAWINGS 56566  
 AND 55058 (FOR G.W. LISK INFORMATION ONLY)

REV	DESCRIPTION	DATE	APPROVED
A	3 IN. MIN. WAS B TO MIN. B TO IN. M22759/9-22-9. 15 SEPT. 95	15 SEPT. 95	JCV
B	ADDED COLONIAL WIRE AS A SOURCE OF TEFLON FILAMENT. IN PLACE. ADMED NOTE 3. 2 FEB. 01	2 FEB. 01	JCV
C	M22759/9-22-9. M22759/9-22-9. 5 MAR. 01. AFB D.	5 MAR. 01	JCV

CAGE CODE	MATERIAL	SPECIFICATION	SIZE	PART NUMBER	DESCRIPTION	QTY
UNLESS OTHERWISE SPECIFIED	THIRD ANGLE PROJECTION	DRAWN	N. D. DAVIE 21 SEPT. 95		G. W. LISK CO., INC.	
93 TO FINISH ALL OVER		CHECK	CFH 21 SEPT. 95		CLIFTON SPRINGS, NEW YORK	
SMOOTH FINISH FOR APPEARANCE ONLY	MATERIAL	ENGINEER	CFH 21 SEPT. 95		<b>LEADWIRE ASSEMBLY</b>	
RUNOUT BETWEEN ALL DIMETERS NOT TO EXCEED .005 FULL INDICATOR MOVEMENT	HEAT TREAT		L-6729		SIZE CAGE CODE	REV C
BREAK ALL SHARP EDGES TO MAXIMUM	FINISH				81983	25629
RADIUS OR CHAMFER ACCEPTABLE					DOT NOT SCALE	WEIGHT
						9-SHEET