




L-com's Tool-less Jack Series

For the best performance with a unique IDC connection that is easy to use and reliable, L-com's tool-less jacks are the answer. This simple wire guide makes it effortless for users to terminate their conductors securely. Each jack is intelligently designed into a compact and efficient body. Jacks are also available with a flanged connector for installation in panels too thick for a standard keystone.

How to terminate a keystone tool-less jack

Online Video
L-com.com/Videos/A26



Item #	Description	Color	1-9	10-24	25-99	100+
--------	-------------	-------	-----	-------	-------	------

Category 5e - Tool-less Keystone Jacks

RJTLCS5E-WT	Category 5e Tool-less Keystone Jack, RJ45 (8x8) 568A/B	White	5.95	5.36	4.76	CALL
RJTLCS5E-IV	Category 5e Tool-less Keystone Jack, RJ45 (8x8) 568A/B	Ivory	5.15	4.64	4.12	CALL
RJTLCS5E-BLK	Category 5e Tool-less Keystone Jack, RJ45 (8x8) 568A/B	Black	5.95	5.36	4.76	CALL

Category 6 - Tool-less Keystone Jacks

RJTLCS6-WT	Category 6 Tool-less Keystone Jack, RJ45 (8x8) 568A/B	White	6.15	5.54	4.92	CALL
RJTLCS6-IV	Category 6 Tool-less Keystone Jack, RJ45 (8x8) 568A/B	Ivory	6.95	6.25	5.56	CALL
RJTLCS6-BLK	Category 6 Tool-less Keystone Jack, RJ45 (8x8) 568A/B	Black	6.95	6.25	5.56	CALL

Shielded Category 6a - Tool-less Jack

RJTLCS6A-S	Shielded Category 6a Tool-less Keystone Jack, RJ45 (8x8) 568A/B	Silver	15.95	14.67	13.40	CALL
------------	---	--------	-------	-------	-------	------

Category 5e, 6 and 6a - 110 Keystone Jacks - 90 Degree Style

L-com's 110 punch down style connectors offer users simple installation via the popular 110 punch down style connecting system. Each jack is color coded for the EIA/TIA568 A and B standards.

MJS110CS5E-WT	Category 5e Keystone Jack, 110/RJ45 (8x8) 568A/B	White	3.45	3.11	2.76	CALL
MJS110CS5E-IV	Category 5e Keystone Jack, 110/RJ45 (8x8) 568A/B	Ivory	3.45	3.11	2.76	CALL
MJS110CS5E-BLK	Category 5e Keystone Jack, 110/RJ45 (8x8) 568A/B	Black	3.45	3.11	2.76	CALL
MJS110CS5E-YL	Category 5e Keystone Jack, 110/RJ45 (8x8) 568A/B	Yellow	3.45	3.11	2.76	CALL
MJS110CS5E-BL	Category 5e Keystone Jack, 110/RJ45 (8x8) 568A/B	Blue	3.45	3.11	2.76	CALL
MJS110CS5E-RD	Category 5e Keystone Jack, 110/RJ45 (8x8) 568A/B	Red	3.45	3.11	2.76	CALL
MJS110CS6-WT	Category 6 Keystone Jack, 110/RJ45 (8x8) 568A/B	White	4.25	3.83	3.40	CALL
MJS110CS6-IV	Category 6 Keystone Jack, 110/RJ45 (8x8) 568A/B	Ivory	4.25	3.83	3.40	CALL
MJS110CS6-BLK	Category 6 Keystone Jack, 110/RJ45 (8x8) 568A/B	Black	4.25	3.83	3.40	CALL
MJS110CS6-YL	Category 6 Keystone Jack, 110/RJ45 (8x8) 568A/B	Yellow	4.25	3.83	3.40	CALL
MJS110CS6-BL	Category 6 Keystone Jack, 110/RJ45 (8x8) 568A/B	Blue	4.25	3.83	3.40	CALL
MJS110CS6-RD	Category 6 Keystone Jack, 110/RJ45 (8x8) 568A/B	Red	3.95	3.56	3.16	CALL
RJ110CS6A-GRY	Category 6a Keystone Jack, 110/RJ45 (8x8) 568A/B	Gray	13.75	12.65	11.55	CALL

Shielded Category 5e, 6 and 6a Jacks

L-com's shielded modular jacks offer users a complete solution to EMI/RFI problems. By utilizing fully shielded jacks and connecting hardware, users can reduce the effects of interference on the network data transmissions. All jacks feature 110-style punch down connections for fast and easy termination.

MJS110CS5E-S	Shielded Category 5e Keystone Jack, 110/RJ45 (8x8) 568A/B	Silver	5.95	5.36	4.76	CALL
MJS110CS6-S	Shielded Category 6 Keystone Jack, 110/RJ45 (8x8) 568A/B	Silver	6.95	6.25	5.56	CALL
RJ110CS6A-S	Shielded Category 6a Keystone Jack, 110/RJ45 (8x8) 568A/B	Silver	14.95	13.75	12.56	CALL

Category 5e and Category 6 Keystone Jack Kits - 110/RJ45 EIA568A/B

These unique panel mount RJ45 connector kits allow keystone style 110 IDC connectors to be mounted into panels thicker than 0.062" (0.2cm). Packaged as a kit, including the flange, two 4-40 screws, and one RJ45 Cat5e or Cat6 jack.

ECF110CS5E-BLK	Category 5e Keystone Jack, 110/RJ45 (8x8) 568A/B	Black	6.50	6.37	6.11	CALL
ECF110CS5E-BL	Category 5e Keystone Jack, 110/RJ45 (8x8) 568A/B	Blue	6.50	6.37	6.11	CALL
ECF110CS5E-IV	Category 5e Keystone Jack, 110/RJ45 (8x8) 568A/B	Ivory	6.50	6.37	6.11	CALL
ECF110CS5E-WT	Category 5e Keystone Jack, 110/RJ45 (8x8) 568A/B	White	6.50	6.37	6.11	CALL
ECF110CS5E-YL	Category 5e Keystone Jack, 110/RJ45 (8x8) 568A/B	Yellow	6.50	6.37	6.11	CALL
ECF110CS5E-S	Shielded Category 5e Keystone Jack, 110/RJ45 (8x8) 568A/B	Silver	7.60	7.45	7.14	CALL
ECF110CS6-BLK	Category 6 Keystone Jack, 110/RJ45 (8x8) 568A/B	Black	8.70	8.53	8.18	CALL
ECF110CS6-BL	Category 6 Keystone Jack, 110/RJ45 (8x8) 568A/B	Blue	8.70	8.53	8.18	CALL
ECF110CS6-IV	Category 6 Keystone Jack, 110/RJ45 (8x8) 568A/B	Ivory	8.70	8.53	8.18	CALL
ECF110CS6-WT	Category 6 Keystone Jack, 110/RJ45 (8x8) 568A/B	White	8.70	8.53	8.18	CALL
ECF110CS6-YL	Category 6 Keystone Jack, 110/RJ45 (8x8) 568A/B	Yellow	8.70	8.53	8.18	CALL
ECF110CS6-S	Shielded Category 6 Keystone Jack, 110/RJ45 (8x8) 568A/B	Silver	9.80	9.60	9.21	CALL

Category 5e and Category 6 Tool-less Keystone Jack Kits - RJ45 EIA568A/B

The ECFRJTL series of panel mount RJ45 connector kits allow L-com's tool-less RJ45 keystone connectors to mount into panels thicker than 0.062" (0.2cm). Packaged as a kit, including the flange, two 4-40 screws, and one RJ45 Cat5e or Cat6 jack.

ECFRJTLCS5E-BLK	Category 5e Keystone Jack, 110/RJ45 (8x8) 568A/B	Black	9.85	8.87	7.88	CALL
ECFRJTLCS5E-IV	Category 5e Keystone Jack, 110/RJ45 (8x8) 568A/B	Ivory	9.85	8.87	7.88	CALL
ECFRJTLCS5E-WT	Category 5e Keystone Jack, 110/RJ45 (8x8) 568A/B	White	9.85	8.87	7.88	CALL
ECFRJTLCS6-BLK	Category 6 Keystone Jack, 110/RJ45 (8x8) 568A/B	Black	10.95	9.86	8.76	CALL
ECFRJTLCS6-IV	Category 6 Keystone Jack, 110/RJ45 (8x8) 568A/B	Ivory	10.95	9.86	8.76	CALL
ECFRJTLCS6-WT	Category 6 Keystone Jack, 110/RJ45 (8x8) 568A/B	White	10.95	9.86	8.76	CALL

ECF Keystone Panel Adapters - Pkg/25

L-com now offers convenient bags of 25 of our ECF style flanges for use in patch panel and enclosure designs which require L-com's unique ECF flanges. These rugged flanges are perfect for use with Category 3/5/5e/6/6a keystone couplers.

ECF-SK-25	ECF Keystone Panel Adapter Kit, Pkg/25	Silver	29.95	27.55	25.16	CALL
-----------	--	--------	-------	-------	-------	------