

# UL 758 | Appliance Wiring Material

## UL Recognized AWM Style

### THERMOPLASTIC INSULATION SINGLE CONDUCTOR



STYLE # 1003 - 1108

Style Number	Temperature °C	AWG and/or kcmil	Voltage V	Material
1003	60	26 - 16	300	PE / PVC
1007	80	32 - 16	300	PVC
1011	80	30 - 2000	600	PVC
1013	80, 90	30 - 2000	600	PVC
1015	80, 90, 105	30 - 2000	600	PVC
1017	80	22 - 8	600	PVC
1019	80	8 - 2	600	PVC
1020	80	1 - 4/0	600	PVC
1021	80	225 - 500	600	PVC
1022	80	525 - 1000	600	PVC
1023	80	1100 - 2000	600	PVC
1024	90	22 - 8	600	PVC
1026	90	8 - 2	600	PVC
1027	90	1 - 4/0	600	PVC
1028	105	22 - 6	600	PVC
1032	90	30 - 2000	1000	PVC
1041	60	20 - 16	300	PVC
1053	60	18 - 10	600	PVC
1055	90	20 - 10	600	PVC
1057	60	14 - 10	600	PVC
1059	90	18 - 10	600	PVC
1061	80	30 - 10	300	SR PVC
1062	60	20 - 18	300	PVC / Shield* / PVC
1063	60	20 - 18	300	PVC / Shield* / PVC
1064	60	26 - 16	600	PE / Shield* / Lacquered cotton, rayon, glass over conductor over shielding / PVC jacket
1065	60	26 - 16	600	PVC / Shield* / Lacquered cotton, rayon, glass over conductor / PVC
1066	60	22	300	PE / Shield* / PVC
1095	80	30 - 16	300	PVC
1107	60	30 - 16	300	PE / Rayon braid* / Shield* / PVC / Shield* / PVC*
1108	80	30 - 16	300	FEP, PTFE, TFE, PVC / Shield* / Lacquered glass, rayon cotton* / PVC

\* Optional UL Style constructions available

STYLE # 1110 - 1276

Style Number	Temperature °C	AWG and/or kcmil	Voltage V	Material
1110	105	26 - 16	300	PVC / Shield* / PVC
1113	60	30 - 16	600	PE / Shield* / PVC
1115	80	30 - 16	300 insulation, 600 jacket	PVC / Shield* / PVC
1116	80	30 - 12	600	PVC / Shield* / PVC
1118	90	26 - 16	300 insulation, 600 jacket	PVC / Shield* / Lacquered braid / PVC
1119	90	26 - 16	600	PVC / Shield / Lacquered braid* / PVC
1120	105	30 - 4/0	600	PVC / Shield* / PVC / PVC*
1122	80	30	300	SR PVC
1123	80	22, 20	300	PVC / Shield / PVC
1124	80	22, 20	300	PVC / Shield / PVC
1148	60	26 - 16	600	PVC
1150	60	26 - 16	300	FRPE / Shield / PVC
1161	60	26 - 9	600	PVC
1181	60	18 - 16	600	PVC / Nylon
1184	60	26 - 16	600 insulation, 300 jacket	PE / Shield / PVC
1188	60	18 - 16	600	PVC
1190	90	26 - 16, 14 - 9	600	PVC
1191	60, 80	26 - 9	600	PVC
1195	80	30 - 14	300	SR PVC
1208	80	30 - 16	300	SR PVC
1226	80	32 - 14	not specified	FEP
1227	105	32 - 10	not specified	FEP
1228	90	18 - 8	600	PVC
1229	90	8 - 2	600	PVC
1230	105	26 - 9	600	PVC
1231	105	18 - 6	600	PVC
1232	105	8 - 4/0	600	PVC
1270	90	18 - 9	600	PVC
1271	75, 90	8 - 2	600	PVC
1272	90	1 - 4/0	600	PVC
1273	90	1 - 4/0	600	PVC
1275	105	18 - 10	600	PVC
1276	60, 105	14 - 10	600	PVC

\* Optional UL Style constructions available