


3" Core Wire & Cable Materials:

B-499 Nylon Cloth Material

Color: White Finish: Matte

Permanent adhesive allows labeling in environments with heat, cold, oil and dirt. Ideal for wire and cable marking, electronic component marking, laboratory vial identification, and general labeling.



Performance Attributes:


Diagram	Catalog #	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Horiz.Repeat C Inch (mm)	Vert.Repeat D Inch (mm)	Web Width E Inch (mm)	Labels Per Row	Labels Per Pkg	Rec. Ribbon
Fig. 1	THT-68-499-10	Nylon Cloth	White	0.500 (12.7)	0.750 (19.1)	0.600 (15.2)	0.850 (21.6)	2.500 (63.5)	4	10,000	R4900
Fig. 1	THT-162-499-10	Nylon Cloth	White	0.800 (20.3)	1.437 (36.5)	0.900 (22.9)	1.562 (39.7)	3.700 (94.0)	4	10,000	R4904
Fig. 1	THT-165-499-5	Nylon Cloth	White	0.800 (20.3)	1.437 (36.5)	0.900 (22.9)	1.562 (39.7)	3.700 (94.0)	4	5,000	R4904
Fig. 1	THT-69-499-3	Nylon Cloth	White	0.800 (20.3)	1.437 (36.5)	0.900 (22.9)	1.540 (39.1)	1.900 (48.3)	2	3,000	R4902
Fig. 2	THT-125-499-3	Nylon Cloth	White	0.900 (22.9)	0.500 (12.7)	-	0.600 (15.2)	1.100 (27.9)	1	3,000	R4902
Fig. 1	THT-152-499-3	Nylon Cloth	White	1.000 (25.4)	0.375 (9.5)	1.075 (27.3)	0.475 (12.1)	2.300 (58.4)	2	3,000	R4902
Fig. 2	THT-136-499-3	Nylon Cloth	White	1.500 (38.1)	0.750 (19.1)	-	0.875 (22.2)	1.700 (43.2)	1	3,000	R4902
Fig. 2	THT-185-499-3	Nylon Cloth	White	1.750 (44.5)	1.000 (25.4)	-	1.125 (28.6)	1.950 (49.5)	1	3,000	R4902
Fig. 2	THT-186-499-3	Nylon Cloth	White	1.750 (44.5)	1.875 (47.6)	-	1.975 (50.2)	1.950 (49.5)	1	3,000	R4902
Fig. 2	THT-137-499-3	Nylon Cloth	White	2.000 (50.8)	1.000 (25.4)	-	1.125 (28.6)	2.200 (55.9)	1	3,000	R4902
Fig. 2	THT-151-499-3	Nylon Cloth	White	2.000 (50.8)	0.250 (6.4)	-	0.350 (8.9)	2.200 (55.9)	1	3,000	R4902
Fig. 2	THT-19-499-1	Nylon Cloth	White	3.000 (76.2)	2.000 (50.8)	-	2.125 (54.0)	3.200 (81.3)	1	1,000	R4900
<p>NOTICE BBP®11 PRINTER ONLY: The following part numbers ending with "-SC" are 1" Small Core Rolls specially designed for use in the BBP11 Printer and do not require the BBP11 media adaptor accessory. View page 82 for more information.</p>											
Fig. 2	THT-125-499-1.5-SC	Nylon Cloth	White	0.900 (22.9)	0.500 (12.7)	-	0.600 (15.2)	1.100 (27.9)	1	1,500	R4913
Fig. 1	THT-152-499-1.5-SC	Nylon Cloth	White	1.000 (25.4)	0.375 (9.5)	1.100 (27.9)	0.475 (12.0)	2.300 (58.4)	2	1,500	R4913
Fig. 2	THT-136-499-1.5-SC	Nylon Cloth	White	1.500 (38.1)	0.750 (19.1)	-	0.875 (22.2)	1.100 (27.9)	1	1,500	R4913
Fig. 2	THT-151-499-1.5-SC	Nylon Cloth	White	2.000 (50.8)	0.250 (6.4)	-	0.350 (8.9)	2.200 (55.9)	1	1,500	R4913
Fig. 2	THT-137-499-1.5-SC	Nylon Cloth	White	2.000 (50.8)	1.000 (25.4)	-	1.125 (28.6)	2.100 (53.3)	1	1,500	R4913

3" Core Wire & Cable Materials:

B-508 Nomex® Wire and Cable Tags

Color: White, Yellow and Green Finish: Matte

Thermal transfer and dot matrix printable wire and cable bundle tag for harsh environments. Excellent tear, heat and solvent resistance. Meets the following industry specifications: SAE AS 81531, RoHS Compliant. Tested per ASTM E162, ASTM E662.



Performance Attributes:

Diagram	Catalog #	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Vert. Repeat D Inch (mm)	Web Width E Inch (mm)	Labels Per Row	Labels Per Pkg	Rec. Ribbon	Rec. Printer
Fig. 61	HSNX-400-2-WT	Nomex® Tag	White	2.200 (55.8)	0.410 (10.4)	0.622 (15.79)	3.250 (82.55)	1	2,500	R4300	PR+300
Fig. 61	HSNX-400-2-WT-S	Nomex® Tag	White	2.200 (55.8)	0.410 (10.4)	0.622 (15.79)	3.250 (82.55)	1	250	R4300	PR+300
Fig. 61	HSNX-400-2-YL	Nomex® Tag	Yellow	2.200 (55.8)	0.410 (10.4)	0.622 (15.79)	3.250 (82.55)	1	2,500	R4300	PR+300
Fig. 61	HSNX-400-2-YL-S	Nomex® Tag	Yellow	2.200 (55.8)	0.410 (10.4)	0.622 (15.79)	3.250 (82.55)	1	250	R4300	PR+300
Fig. 61	HSNX-800-2-WT	Nomex® Tag	White	2.00 (50.8)	0.800 (10.160)	1.012 (25.70)	3.250 (82.55)	1	2,500	R4300	PR+300
Fig. 61	HSNX-800-2-WT-S	Nomex® Tag	White	2.00 (50.8)	0.800 (10.160)	1.012 (25.70)	3.250 (82.55)	1	250	R4300	PR+300
Fig. 61	HSNX-800-2-YL	Nomex® Tag	Yellow	2.00 (50.8)	0.800 (10.160)	1.012 (25.70)	3.250 (82.55)	1	2,500	R4300	PR+300
Fig. 61	HSNX-800-2-YL-S	Nomex® Tag	Yellow	2.00 (50.8)	0.800 (10.160)	1.012 (25.70)	3.250 (82.55)	1	250	R4300	PR+300


Nomex® is a registered trademark of DuPont.

3" Core Wire & Cable Materials:

B-7643 Heatex™ Cable Markers

Color: White Finish: Matte

Polyurethane tag material for dot matrix and thermal transfer printing. Low-halogen material that is Rohs compliant.



Performance Attributes:

Diagram	Catalog #	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Pkg	Rec. Ribbon
Fig. 61	HSCM-2400-0.390-WT	Polyurethane	White	2.362 (60.0)	0.394 (10.0)	1	1,000	R6002
Fig. 61	HSCM-2400-0.390-YL	Polyurethane	Yellow	2.400 (61.0)	0.390 (9.0)	1	1,000	R6002
Fig. 61	HSCM-3000-0.500-WT	Polyurethane	White	2.953 (75.0)	0.394 (10.0)	1	1,000	R6002
Fig. 61	HSCM-3000-0.500-YL	Polyurethane	Yellow	2.953 (75.0)	0.394 (10.0)	1	1,000	R6002
Fig. 61	HSCM-3000-0.625-WT	Polyurethane	White	2.953 (75.0)	0.591 (15.0)	1	1,000	R6002
Fig. 61	HSCM-3000-0.625-YL	Polyurethane	Yellow	2.953 (75.0)	0.591 (15.0)	1	1,000	R6002
Fig. 61	HSCM-3000-1-WT	Polyurethane	White	2.953 (75.0)	0.984 (25.0)	1	500	R6002
Fig. 61	HSCM-3000-1-YL	Polyurethane	Yellow	2.953 (75.0)	0.984 (25.0)	1	500	R6002

View the Material Brands & Attributes Guide on page 4.

Benchtop Printer Ribbons on page 184.

Full Material Properties on page 187.