



AIPC Revisions			
LTR	DESCRIPTION	DATE	APPROVED
A	EO: 305035	2/6/14	D.C.B.
B	ECN: 305278	4/23/14	D.C.B.

ALL MATERIALS SUPPLIED TO THE REQUIREMENTS OF THIS DRAWING SHALL COMPLY WITH AMPHENOL REGULATED MATERIALS SPECIFICATION CS-1152.

Source Control Drawing

CABLE 8 CONDUCTORS FLAT  
 INSULATION PP OD 0.0365" +/- 0.0015"  
 COLORS YW-GN-BE-RED-BLK-BN-GY-OE  
 PU JACKET GRAY COLOR OD 0.350" X 0.090" +/- 0.005"  
 THE CABLE SHALL BE SUPPLIED ON REELS WITH A MAXIMUM OF 2 LENGTHS PER REEL A MINIMUM OF 100 FEET PER LENGTH.  
 THE TOTAL LENGTH ON THE REEL IS TO BE A MAXIMUM OF 1000 FEET.  
 60 DEG C, 150V, 300V PEAK



GENERAR DIBUJO REV. 0 D.B.F. 02/18/14	ECN NO. & DESC.	DN.BY	D.B.F.	02/18/14
		CK.BY	G.C.A.	02/18/14
		APP'D.	J.R.G.	02/18/14
		DO NOT SCALE		
		TITLE:		PART NO.:
		LINE CORD, 8 COND;		521-2402-19M



ISO 9001:2008 Certified

AIPC No 629410001 Rev B  
 Sheet 1 of 1

REV.  
0