



X	NOM. O.D.	NOM. I.D.	NOM. WALL	TOL. O.D.
1	0.070"	0.060"	0.005"	± 0.002
2	0.078"	0.072"	0.003"	± 0.002"
3	0.095"	0.089"	0.003"	+0.000" -0.003"
4	0.100"	0.096"	0.002"	± 0.002"
5	0.043"	0.036"	0.0035"	± 0.002"
6	0.127"	0.121"	0.003"	± 0.003"
7	0.084"	0.078"	0.003"	± 0.002"
8	0.140"	0.134"	0.003"	± 0.004"
9	0.087"	0.081"	0.003"	± 0.002"
10	0.057"	0.051"	0.003	± 0.002"
11	0.040"	0.034"	0.003"	± 0.002"
12	0.044"	0.040"	0.002"	± 0.002"
13	0.177"	0.171"	0.003"	± 0.002"
14	0.118"	0.114"	0.002"	± 0.002"
15	0.065" (BLACK)	0.062"	0.0015"	± 0.002"
16	0.158"	0.152"	0.003"	± 0.002"
17	0.282"	0.270"	0.006"	+0.002 -0.000"
18	0.198"	0.188"	0.005"	± 0.002"

NOTES:
 1. NOTE: ORDER MYLAR TUBING IN 36.00" ± 1.00" LENGTHS
 2. MATERIAL: E.L. NONSHRINK MYLAR
 3. TEMP. RANGE -60°C TO 150°C CONTINUOUS

REV D - (ECN# 1823)
 REV C - ADD ".18"
 REV B - ADD ".17"

BetaTHERM CORP.
 910 TURNPIKE RD., SHREWSBURY, MA 01545

THE INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL AND MUST NOT BE DISCLOSED EXCEPT AS AUTHORIZED IN WRITING BY BETATHERM CORPORATION.

TOL.	REVISIONS			RAW MATERIAL - MYLAR		
	REV	DATE	BY	DRAWN BY	SCALE	MATERIAL
DECIMAL	A	01/14/98	KC	KC	NONE	MYLAR
	B	04/15/98	JB			
FRACTIONAL	C	08/06/98	KC	CHKD	DATE	DRAWING NO.
	D	04/14/05	KC			
ANGULAR	E			TRACED	APPD	TMY-019-(X)
	F					

TOTAL P. 01

