


THE INFORMATION DISCLOSED HEREIN WAS ORIGINATED BY AND IS THE PROPERTY OF THE GRANVILLE-PHILLIPS COMPANY WHICH RESERVES ALL PATENT, PROPRIETARY, DESIGN, USE, SALE, MANUFACTURING, AND REPRODUCTION RIGHTS THERE TO. THIS DOES NOT PERTAIN TO VENDOR PARTS.

CLASS	REV.	DATE	ECO	DESCRIPTION	BY	CHK'D	PROJ. MGR.	ENG. MGR.
1	00	4-21-80	2563	RELEASED FOR PRODUCTION.	BKP	MB	MB	JRR

NOMINAL WALL THICKNESS .020

.125 I.D. MIN. EXPANDED,  
.062 I.D. MAX. RECOVERED



NOTES:

- 6 POINT LETTERS, WHITE, 1/16 INCH HIGH.
- RNF-100, BLACK, SEMICUT.
- LABEL SHALL BE CENTERED HORIZONTALLY ON TUBING.
- VOLUME RESISTIVITY OF TUBING -  $10^{15}$  OHM-CM MIN.
- STORM PRODUCTS OR RAYCHEM HEAT SHRINKABLE TUBING RNF-100.

ICS PIN 50282

7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46																																												
ADDRESS																																								D	MATERIAL DESCRIPTION																																								SEQUENCE	QUANTITY	UM

<b>GRANVILLE-PHILLIPS</b>															<b>BOULDER COLORADO</b>																				
SCALE	NTS	DATE	TOLERANCE																	PART DESCRIPTION															
DWN. BY	BKP	1-25-80	DIMENSIONS		NORMAL		SPECIFIC										MARKER, CABLE COLLECTOR																		
CHK. BY	MB	2-14-80	.XX	.010											FIRST USED ON																				
PROJ. MGR.	MB	2-14-80	.XXX	.005											ADDRESS																				
ENG. MGR.	JRR	2-15-80	.XXX	.001											7 8 9 10 11 12 13 14 15 16																				
			RADI:		OUTSIDE												FINISH																		
			INSIDE												J 0 0 6 7 2 7 1 0 0 A																				
			ANGLES																																

0-01-005601