


THE INFORMATION DISCLOSED HEREIN WAS ORIGINATED BY AND IS THE PROPERTY OF THE GRANVILLE-PHILLIPS COMPANY WHICH RECEIVES ALL PATENT, PROPRIETARY, DESIGN, USE, SALE, MANUFACTURING, AND REPRODUCTION RIGHTS THEREON. THIS DOES NOT PERTAIN TO VENDOR PARTS.

CLASS	REV	DATE	ECO	DESCRIPTION	BY	CHK'D	PROJ MGR	ENG MGR
I	00	8-13-90	430	NEW DRAWING, RELEASED TO PRODUCTION	(07/5)	WMB	WMB	WMB

ICS PIN 50283

NOMINAL WALL THICKNESS .020



.125 I.D. MIN. EXPANDED, .062 I.D. MAX. RECOVERED.

NOTES:

1. 6 POINT LETTERS, WHITE, 1/16 INCH HIGH.
2. RNF-100, BLACK, SEMICUT.
3. LABEL SHALL BE CENTERED HORIZONTALLY ON TUBING.
4. VOLUME RESISTIVITY OF TUBING - 10^{15} OHM-CM MIN.
5. STORM PRODUCTS HEAT SHRINKABLE TUBING RNF-100 OR EQUAL.

FILED IN CAD AS EDIT /307/ME/0279100;

ADDRESS	D	MATERIAL DESCRIPTION	SEQ	QUANTITY	UM
PARTS LIST					



GRANVILLE-PHILLIPS

BOULDER COLORADO

SCALE:		DATE	UNLESS SPECIFIED		PART DESCRIPTION			
DIMENSIONS		TOLERANCE	FINISH		MARKER, CABLE FILAMENT COM			
DESIGN BY	BAS	6/25/90	X = ±.050		ADDRESS			
CHK'D BY	WMB	6-25-90	✓					
BY	WMB	6-25-90	SERIES 307		PART NUMBER			
APP	WMB	6-25-90						
APP	WMB	8-13-90			TOOL NO. SIZE			
					010279 100 A			