
ALPHA WIRE COMPANY
CUSTOMER PRODUCT SPECIFICATION

Part Number: 6120

Page 1 of 1 Pages

Issue: 3

Issue Date: 9/11/2006

Effective Date: 9/11/2006

A. Construction

Diameters

- | | | |
|----------------|-------------------------------|-------|
| 1) Component 1 | 1 X 1 COND | |
| a) Conductor | 4/0 (2052(19x108/30) AWG BC | |
| b) Insulation | 0.080" Wall, Nom. EPDM Rubber | 0.725 |
| (1) Color Code | Black | |

B. Industry Approvals

- 1) EU Directive 2002/95/EC(RoHS):

All materials used in the manufacture of this part are in compliance with EU Directive 2002/95/EU regarding the restriction of use of certain hazardous substances in electrical and electronic equipment. Consult Alpha Wire's web site for compliance Date of Manufacture.

C. Physical & Mechanical Properties

- 1) Temperature Range -50 to 105°C
2) Bend Radius 10X Cable Diameter

D. Electrical Properties

(For Engineering purposes only)

- 1) Voltage Rating 600 V_{RMS}

E. Other

- 1) Packaging
 a) Bulk(Made-to-order)
2) Notes:
 a) Welding Cable

Although Alpha Wire Company ("Alpha") makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described herein are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Alpha provides the information and specifications herein on an "AS IS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Alpha be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Alpha has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.