



Account Details

Account No. 9037125_USS6_10_10
Account IEWC CORP
Address IEWC CORP, 5001 S TOWNE DR, ,
NEW BERLIN, Wisconsin, 53151,
United States
Sales Org. ABB Installation Products USA
Sales Distribution
Currency USD
As on Date 09-17-2024

Catalog No. AL42/125/A/BLYI

Product Details

UPC: 786210281001

Details: Straight Conduit Fitting with Locknut and Sealing Washer, Fixed External Male Thread, Nominal Conduit Size 42mm, 1-1/4 Inch NPT Thread, Polyamide (Nylon) 66, Black



Product Details

Details

Catalog No.	AL42/125/A/BLYI	UPC	786210281001
Description	1 1/4NPT A/LOK W/ LN, WASHER	GSA Compliance	No
Std. Package Weight	0.100 LB	Discount Schedule	7R
Product Family	7RA	CCC	
Restock Fee		Currency	USD
Customer Reference No.		Notes	
Brand Name	ADAPTAFLEX	Package Qty.	2
Minimum Order Qty.	2	Country of Origin	United Kingdom

General Characteristics

Category	Electrical fittings
Type	Conduit Fitting with NPT Threads
Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Material	Polyamide/Nylon 6.6
Color	Black
Connection	Straight
Cable Entry	1-1/4 Inch NPT Thread

Dimensions and Classifications


Brand Name	Adaptaflex
Size	NC 42mm

Compliance and Certifications

RoHS	RoHS3 Compliant
TSCA	TSCA Section 6(h) Compliant
POPs	POPs 28 Compliant

ETIM Classification	
ETIM	EC001176 Screw connection for corrugated plastic hose
Nominal diameter	42 mm
Degree of protection (IP)	IP66
Model	Straight
Construction type	External thread
Type of connection	Snap connection
Thread type	NPT
Thread connection size	Other
Material	Polyamide (PA)

ETIM	EC001176 Screw connection for corrugated plastic hose
Colour	Black
Approved in combination with protective conduit UR	Y
Approved in combination with protective conduit DIN EN 61386-23	Y

 by ABB
electrification.us.abb.com

Created On: 09/17/2024